




**2T-version**

**SiLine® Snack and Combi M**




# 2T-version

## SiLine® Snack and Combi M

MADE  
IN  
GERMANY

### Introduction

- 2T-variant: split temperature zones separated by directed air flow, Fresh food / snack
  - Approx. + 10 - 15 °C on the upper shelves
  - Food-safety storage at  $\leq + 4$  °C on the lower shelves (LM zone)
- The temperature separation position can be adjusted within a pre-defined range
- The Food safety software monitors the temperature in the LM-zone and ensures that only properly chilled products are dispensed
- Frost monitor



### Overview

Dimensions:	1,830* x 990 x 895 mm (height x width x depth)**
Weight:	approx. 340 kg (without products, depending on the layout)
Electrical connection values:	220 - 230 V / 50 Hz / min. 10 A
Power consumption:	400 W (varies depending on the type of chiller unit)
Spirals per shelf:	9
Pusher per shelf:	8

\* 1,844 mm for Design VA with Design package B

\*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.

### Design variants

#### Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

# 2T-version

## SiLine® Snack and Combi M



### Cabinet colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Optional:

The standard design VA can be added with the design package A.  
Design RA can be complemented with Design package A.

### Design package A includes:

- LED decoration panel

All design variants can be found in the brochure.

### Options and accessories

- Lift
- Light barrier



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY