



High Security
Robimat XM



High Security

Robimat XM

MADE
IN
GERMANY

Introduction

- Version for locations exposed to vandalism
- Anti-vandalism panel
- Coin insert slide and coin return drum
- Reinforced locking lever protection



Overview

| | |
|-------------------------------------------------|------------------------------------------------------------|
| Dimensions without anti-theft protection frame: | 1,831 x 990 x 883 mm (height x width x depth)* |
| Dimensions with anti-theft protection frame: | 1,844 x 1,051 x 883 mm (height x width x depth)* |
| Weight: | Approx. 350 kg (in standard configuration with 5 shelves) |
| Electrical connection values: | 220 - 230 V~ / 50 Hz / min. 10 A |
| Power consumption: | 400 - 750 W (varies depending on the type of chiller unit) |

**Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Design variants

Operator panel

- RB = Operator panel RAL painted
- EB = Operator panel made from stainless steel

High Security

Robimat XM



Options and accessories

- High security frame with side lock, so that the machine can be installed without a housing
- Additional rear panel if the machine is not installed against a wall: greater security, extra branding area



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.