



## LM version

### General Information



# LM version

## General Information

MADE  
IN  
GERMANY

### General Information

- "Fresh Food" storage  $\leq + 4$  °C throughout the machine
- The "Food safety software" monitors temperature in the LM-zone and ensures that only properly chilled products are dispensed.
- 5 or 6 product shelves by default
- Capacity: Up to 8 selections per shelf, up to 6 shelves



### Overview

Dimensions:	1,830 x 880 x 840 mm (height x width x depth)*
Weight:	approx. 265 kg (without products, depending on the layout)
Electrical connection values:	220- 230 V / 50/60 Hz / min. 10 A
Power consumption:	400 W (varies depending on the type of chiller unit)

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

### Design variants

#### Operator panel

- EB = Operator panel made from stainless steel
- RB = Operator panel RAL painted

#### Cabinet colours

- Pure white (RAL 9010)

# LM version

## General Information



- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Options and accessories

- Coin insert slide and coin return drum
- Light barrier
- LM-version
- 2-T version with adjustable shelf division within a defined range
- Triple spirals
- Heavy-load shelves, for use on the three lower levels



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY

Technical changes and errors excepted.  
All illustrations are exemplary and may include optional equipment.