



# SiCompact 2020

## Basic



# SiCompact 2020

## Basic

MADE  
IN  
GERMANY

### Features

- Reverse vending of disposable PET containers and cans
- Camera-based, rotationless Omega 360° container recognition in real time
- Precision scales: Weight, barcode and shape recognition, safety marking as well as recognition of full containers in the bottle acceptance area
- Acceptance speed: Up to 60 containers per minute
- Optimized shape of the coin insert ring to prevent running drips
- High-resolution 10.1' HD display with a large view angle
- Easy cleaning:  
Menu-guided cleaning with animation  
- With the intuitive color concept of the surfaces to be cleaned
- Particularly easy to service due to full access from the front to all operating components
- Menu-guided error correction assistant
- Security concept: Software-supported and mechanical protection against tampering - DPG-security package
- Electronic lock - Opening by code



### Basic data

Dimensions:	1,880 x 1,350 x 1,130 mm (height x width x depth)* Service areas left and right: 500 mm
Container size:	Half Euro pallet roll containers: 840 x 600 x 800 mm (height x width x depth)
Required space:	1.53 m <sup>2</sup>
Weight:	Approx. 420 kg (without container)
Connection values:	3L/N/PE, 400 V, 50 Hz
Output:	Max. 2,630 W / Standby max. 70 W
Operating temperature:	+5 °C to +40 °C non-condensing

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

# SiCompact 2020

## Basic



### Variants

- **SiCompact 2020 Mix | Mix**  
2x single use, mixed compacting
- **SiCompact 2020 Sort**  
1x single use bottles, compacted  
1x single use cans, compacted

### Design variants

#### Door color

- Silk matt, black (RAL 9005)
- White aluminum silk matt (RAL 9006)
- Grey aluminum silk matt (RAL 9007)
- Further colors on request

#### Housing color:

- Silk matt, black (RAL 9005)
- Silk matt Graphite grey (RAL 7024)

#### Designs

- Branding RAL 9005 "Environment"

#### Optional

- Customizable branding

### Optional extension: Orientation and operating aids

- High-contrast display for improved visibility
- Acoustic signal tones for important processes, e.g. accepted containers, voucher printing, or rejections
- Tactile markings to identify the bottle infeed and voucher output
- Braille and pyramid markings to indicate important elements
- Bottle acceptance without display interaction: facilitates use for people with limited mobility
- Automatic receipt printing without interaction with the display
- Bright contrast strip and clearly highlighted infeed area for improved visibility

# SiCompact 2020

## Basic



### General Information

Reverse vending machines do not fall within the scope of the European Accessibility Act. Nevertheless, we have equipped our machines with various features that improve accessibility for all users and ensure user-friendly operation.



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY

Technical changes and errors excepted.  
All illustrations are exemplary and may include optional equipment.