




**SiLine® GF Public**  
**SiLine® GF M RP**



## Introduction

- Anti-vandalism panel made from 12mm thick polycarbonate
- Reinforced, wavy shaped locking lever protection; this corrugated profile prevents forced opening or burglary
- Insulating laminated safety glass panel
- Door split cover



## Overview

|  |   |
|--|---|
| Dimensions with door split cover:                          | 1,839 x 999 x 904 mm (height x width x depth)*                      |
| Dimensions with anti-theft protection frame and side lock: | 1,850 x 1,055 x 904 mm (height x width x depth)*                    |
| Weight:  | approx. 370 kg (in standard version)                                |
| Weight with anti-theft protection frame and side lock:     | approx. 380 kg  |
| Electrical connection values:                              | 220 - 230 V / 50 Hz / min. 10 A                                     |
| Power consumption:   | 400 - 750 W (varies depending on the type of chiller unit)          |
| Anti-vandalism panel:                                      | Standard 12 mm PC<br>Optional 8 mm theft prot. anti-vandalism panel |

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

## Design variants

### Design panel

- Design VA = Lower design panel made from Stainless
- Design RA = Lower design panel RAL painted

#### **Cabinet colours**

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

#### **Optional:**

The standard design VA can be added with the design package A.  
Design RA can be complemented with Design package A.

#### **Design package A includes:**

- LED-Decoration strips above and below the glass panel

All design variants can be found in the brochure.

#### **Options and accessories**

- 8 mm thick vandal-proof panel
- Anti-theft prot. frame with side lock and CES mortise lock (optional KESO)
- Heater ('Frost monitoring function'): The internal temperature is held above 0 °C)
- Laminated safety glass panel with UV filter



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY