




**SiLine<sup>®</sup> SiOne S**  
**Basic**



### Introduction

- Reverse vending of disposable and reusable PET bottles, cans and cups with EAN code
- Barcode recognition (up to 20,000 codes)
- Acceptance speed: Up to 30 empties per minute
- Capacity: Up to 400 bottles (0.5 l PET) or up to 560 cans
- Fits perfectly in a Vending line with other SiLine and vending machines
- Optimal range of application: closed environment such as company canteens
- Modular design - makes it extremely easy to service and recycle



### Overview

Dimensions:	1.830* x 780 x 716 mm (height x width x depth)**
Weight:	Approx. 145 kg
Container size:	Max. diameter 140 mm; Max. length 380 mm
Acceptance speed:	Up to 30 units per minute
Capacity:	Approx. 400 bottles (0,5 l PET) or approx. 560 cans
Electrical connection values:	220 – 230 V / 50/60 Hz /mind. 10 A

*\*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

### Design variants

#### Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

#### Cabinet colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Optional:

The standard design VA can be added with the design package A.  
Design RA can be complemented with Design package A.

### Design package A includes:

- LED decoration panel

All design variants can be found in the brochure.

## Options and accessories

### Features:

- Rotating drum
- Coin hopper holds up to 2,000 coins
- Barcode scanner recognition range approx. 170 mm
- Packaging recognition
- Sluice gate function in the acceptance area
- LED-strip Status indicator

### Optionen:

- Up to 2 coin hoppers possible
- Sorting into two Sections
- SiDrop (with SiLine SiOne M only)
- Roller container (with SiLine SiOne S only)
- Receipt printer
- Ingress protection, Thread catcher
- Product recognition (cup acceptance is possible either with or without barcodes)



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY