

SiLine[®] Snack and Combi S RP & Lift S RP SiLine[®] Snack S RP & Lift S RP



SiLine[®] Snack and Combi S RP & Lift S RP SiLine[®] Snack S RP & Lift S RP



General information

- Vending of confectionery, snacks, fresh food products, drinks and non-food items from spiral and pusher containers
- Effective protection against theft, vandalism and tampering
- 12 mm thick anti-vandalism panel made from polycarbonate
- Reinforced, wavy locking lever protection; the corrugated profile prevents forced opening or burglary
- Coin insert slide and coin return drum
- Insulating glass panel VSG from ESG
- All-round door split cover



Overview

Dimensions:	1,839 x 789 x 907 mm (height x width x depth with door split cover)* 1,850 x 843 x 907 mm (height x width x depth with anti-theft protection frame and side lock)*
Weight:	Approx. 330 kg (in standard version) Approx. 340 kg (with anti-theft protection frame and side lock)
Electrical connection values	: 220 - 230 V / 50 Hz / min. 10 A
Output:	400 W (varies depending on the type of chiller unit)

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

SiLine[®] Snack and Combi S RP & Lift S RP SiLine[®] Snack S RP & Lift S RP



Cabinet colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Optional:

The standard design VA can be added with the design package A. Design RA can be complemented with Design package A.

Design package A includes:

LED decoration panel

All design variants can be found in the brochure.

Options and accessories

- Anti-vandalism panel made from 8mm thick glass
- Security frame with side lock and CES mortise lock (optional KESO)
- Heater with 'frost monitoring function': Ensures the internal temperature is held above 0 °C
- Laminated safety glass panel with UV filter
- Metal keypad in combination with an anti-vandalism panel in front of the touch display

Technical changes and errors excepted.



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155 <u>info@sielaff.de</u> <u>www.sielaff.com</u> See here for our company profile video



