




# SiLine<sup>®</sup> Snack and Combi S

## SiLine<sup>®</sup> Combi S




# SiLine<sup>®</sup> Snack and Combi S

## SiLine<sup>®</sup> Combi S

MADE  
IN  
GERMANY

### Introduction

- They can be used to sell confectionery, snacks, fresh food, beverages and nonfood items from spiral, pusher and conveyor belt drawers
- High capacity: up to 7 shelves
- Fits in a Vending line
- Shelves and spirals made from powder-coated metal
- SiLine<sup>®</sup> Combi: Pushers suitable for products with a diameter up to 72 mm
- Uniform installation area for the payment systems
- Modular design – especially easy to service and recycle



### Overview

Dimensions:	1,830* x 780 x 895 mm (height x width x depth)**
Weight:	approx. 300 kg (without products, depending on the layout)
Electrical connection values:	220 - 230 V / 50 Hz / min. 10 A
Power consumption:	400 W (varies depending on the type of chiller unit)
Spirals per shelf:	6
Pusher per shelf:	6

\* 1,844 mm for Design VA with Design package B

\*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.

### Design variants

#### Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

# SiLine<sup>®</sup> Snack and Combi S

## SiLine<sup>®</sup> Combi S



### Cabinet colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Optional:

The standard design VA can be added with the design package A.  
Design RA can be complemented with Design package A.

### Design package A includes:

- LED decoration panel

All design variants can be found in the brochure.

### Options and accessories

- Lift
- Light barrier



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
■ IN  
■ GERMANY