



SiOne Outdoor

SiOne



Introduction

- Rain shield
- Flap in front of product acceptance unit
- Security frame with side lock
- Rear panel (advertising opportunity)
- Residual current circuit breaker
- Heater



Overview

Dimensions:	1,861 x 1,055 x 1,000 mm (height x width x depth incl. roof shelf)*
Weight:	170 kg
Acceptance speed:	Up to 30 empties per minute
Capacity:	Approx. 600 bottles (0.5 l PET) or approx. 700 cans
Electrical connection values:	220 - 230 V / 50/60 Hz /min. 10 A

**Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Design variants

Operator panel

- RO = Operator panel RAL painted

Cabinet colours

- Pure white (RAL 9010)

- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Door colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Options and accessories

- Second coin hopper
- Separation into two fractions
- Roller container
- Receipt printer
- Ingress protection
- Anti-duping device
- Product recognition (cup return possible with or without barcode)



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.