



SiVend HG 20 Trend Espresso

General Information



SiVend HG 20 Trend Espresso

General Information

MADE
IN
GERMANY

Introduction

- 20 large, illuminated decals behind glass
- Full surface glass panel made from safety glass panel
- Closed delivery carousel made from impact-resistant plastic
- Drinks dispense area lighting
- Double cup mechanism with a capacity up to 1,170 cups
- High performance grinder
- High-Tech PEEK Brewer



Overview

Dimensions:	1,831 x 700 x 755 mm (height x width x depth)*
Weight:	approx. 210 kg (if fully equipped)
Number of drinks:	Up to 180 cups per hour (varies depending on product and setting)
Electrical connection values:	220-230 V, 50/60 Hz, 16 A (optional 10 A)
Output:	3 kW (optional 2.2 kW)
Water connection:	3/8" internal screw thread

**Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Cup dispense mechanism configuration examples

	Mug diameter	Capacity 4 towers	Capacity 5 towers	Total capacity
A	70 mm	520	650	1/170
	80 mm	-	-	-
B	70 mm	-	650	-
	80 mm	300	-	950

SiVend HG 20 Trend Espresso

General Information



C	70 mm	520	-	-
	80 mm	-	375	895
D	70 mm	-	-	-
	80 mm	300	375	675

Design variants

Trims

- EB = Stainless steel panel
- RB = RAL operator panel

Housing colors

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Deep black (RAL 9005)

Designs

- Design D 'Colored steam' (Standard)
- Design A "Latte Art"
- Design B "Four cups"
- Design C "Red cup"

Optional

- LED decoration panel

All figures relating to the design variants can be found in the brochure.



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.