



SiVend® HG Outdoor

CIS - Variante 7401




SiVend® HG Outdoor

CIS - Variante 7401

MADE
IN
GERMANY

General facts

- Outdoor version only in RAL 9005
- 70 mm or 80 mm cup dispenser
- Insulated housing:
 - Side, base and rear panels are insulated with 34 mm of polyurethane foam
- Rear panel and rain canopy made from painted steel
- Front, side and rear trim
- Floor mounting kit
- Dispense outlet lock/shutter above the dispense outlet to prevent access to the vending machine
- Integrated heating with 250 W to keep the interior frost-free
- Tried and tested. Sielaff anti-theft protection frame with side lock
- Reinforced locking lever protection
- Weather- and vandalism-resistant
- IP24 protection class
- Ambient temperature of approximately -15 °C to +32 °C
- Max. power consumption 3.15



Configuration

- 7 product containers*
- 4 mixer units

* Coffee/instant containers: 67 mm: approx. 4.9 l - 78 mm: approx. 5.8 l - 137 mm: approx. 10.0 l

Container

	67 mm	78 mm	137 mm
Approx. container width	67 mm	78 mm	137 mm
Approx. container volume	4,900 ccm	5,800 ccm	10,000 ccm
Instant coffee	1,000 g	1,250 g	-
Sugar	4,000 g	5,000 g	-
Whitener / Topping	2,500 g	3,000 g	-
Chocolate	-	3,500 g	6,000 g
Tea	4,500 g	5,500 g	-
Soup	3,500 g	4,500 g	-
Special Cappuccino	2,500 g	3,000 g	5,000 g

SiVend[®] HG Outdoor
CIS - Variante 7401

■ MADE
IN
■ GERMANY

Bean coffee

4,500 g bean hopper



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY