# SiVend® HG Outdoor

## CIS - Variante 7401

# SiVend® HG Outdoor

## CIS - Variante 7401

MADE IN GERMANY

### General facts

- Outdoor version only in RAL 9005
- 70 mm or 80 mm cup dispenser
- Insulated housing:
  Side, base and rear panels are insulated with 34 mm of polyurethane foam
- Rear panel and rain canopy made from painted steel
- Front, side and rear trim
- Floor mounting kit
- Dispense outlet lock/shutter above the dispense outlet to prevent access to the vending machine
- Integrated heating with 250 W to keep the interior frost-free
- Tried and tested. Sielaff anti-theft protection frame with side lock
- Reinforced locking lever protection
- Weather- and vandalism-resistant
- IP24 protection class
- Ambient temperature of approximately -15 °C to +32 °C
- Max. power consumption 3.15




### Configuration

- 7 product containers*
- 4 mixer units

** Coffee/instant containers: 67 mm: approx. 4.9 l - 78 mm: approx. 5.8 l - 137 mm: approx. 10.0 l*

### Container

| | | | |
|---|---|---|---|
| Approx. container width | 67 mm | 78 mm | 137 mm |
| Approx. container volume | 4,900 ccm | 5,800 ccm | 10,000 ccm |
| Instant coffee | 1,000 g | 1,250 g | – |
| Sugar | 4,000 g | 5,000 g | – |
| Whitener / Topping | 2,500 g | 3,000 g | – |
| Chocolate | – | 3,500 g | 6,000 g |
| Tea | 4,500 g | 5,500 g | – |
| Soup | 3,500 g | 4,500 g | – |
| Special Cappuccino | 2,500 g | 3,000 g | 5,000 g |

# SiVend® HG Outdoor

## CIS - Variante 7401

MADE IN GERMANY

| | |
|---|---|
| Bean coffee | 4,500 g bean hopper |

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.

Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

**See here for our company profile video**

MADE IN GERMANY

16.10.2026