SiVend® HG Outdoor

CVS - Variante 6402

SiVend® HG Outdoor

CVS - Variante 6402

MADE IN GERMANY

General facts

- Outdoor version only in RAL 9005
- 70 mm or 80 mm cup dispenser
- Insulated housing:
  Side, base and rear panels are insulated with 34 mm of polyurethane foam
- Rear panel and rain canopy made from painted steel
- Front, side and rear trim
- Floor mounting kit
- Dispense outlet lock/shutter above the dispense outlet to prevent access to the vending machine
- Integrated heating with 250 W to keep the interior frost-free
- Tried and tested. Sielaff anti-theft protection frame with side lock
- Reinforced locking lever protection
- Weather- and vandalism-resistant
- IP24 protection class
- Ambient temperature of approximately -15 °C to +32 °C
- Max. power consumption 3.15



Configuration

- 1 large bean container*
- 6 instant product containers*
- 4 mixer units

** bean container: 4.5 kg or 13.0 l*
Coffee/instant containers: 67 mm: approx. 4.9 l - 78 mm: approx. 5.8 l - 137 mm: approx. 10.0 l

Container

Approx. container width	67 mm	78 mm	137 mm
Approx. container volume	4,900 ccm	5,800 ccm	10,000 ccm
Instant coffee	1,000 g	1,250 g	–
Sugar	4,000 g	5,000 g	–
Whitener / Topping	2,500 g	3,000 g	–
Chocolate	–	3,500 g	6,000 g
Tea	4,500 g	5,500 g	–

SiVend® HG Outdoor

CVS - Variante 6402

MADE IN GERMANY

Soup	3,500 g	4,500 g	–
Special Cappuccino	2,500 g	3,000 g	5,000 g
Bean coffee	4,500 g bean hopper		

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.

Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our company profile video

MADE IN GERMANY

16.10.2026