



SiLine[®] HG TS7
Basis



General information

- Ease to operate using 20 capacitive keys with large product decals
- Product information and programming via 7" touch display
- Large, open dispense outlet with optional RGB-user prompting
- Dry sugar and stirrers
- Energy saving water system with bespoke drink temperatures
- Innovative instant containers with SiTwist'n-Lock system



Basic data

Dimensions:	1,830 x 700 x 755 mm (height x width x depth)*
Weight:	approx. 210 kg
Cup capacity:	can dispense up to 180 cups per hour (varies depending on product and setting)
Electrical data:	220 - 230 V / 50/60 Hz / min. 10 A
Power:	2,3 kW
Water connection:	John Guest

**Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Design variants

Design panel

- Design VA = Lower design panel made from stainless steel
- Design RA = Lower design panel RAL painted

Housing colours

- Jet black (RAL 9005)

Optional:

The standard design VA can be added with the design package A or B.
Design RA can be complemented with Design package A.

Design package A includes:

- LED decoration stripes

Design package B includes:

- LED decoration stripes above and below the glass panel
- Upper door decoration panel in stainless steel
- Foot plate in stainless steel

All design variants can be found in the brochure.



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY