



SiLine[®] SiOne S
Basic



Introduction

- Reverse vending of disposable and reusable PET bottles, cans and cups with EAN code
- Barcode recognition (up to 20,000 codes)
- Acceptance speed: Up to 30 empties per minute
- Capacity: Up to 400 bottles (0.5 l PET) or up to 560 cans
- Fits perfectly in a Vending line with other SiLine and vending machines
- Modular design - makes it extremely easy to service and recycle



Overview

Dimensions:	1.830* x 780 x 716 mm (height x width x depth)**
Weight:	Approx. 145 kg
Container size:	Max. diameter 140 mm; Max. length 380 mm
Acceptance speed:	Up to 30 units per minute
Capacity:	Approx. 400 bottles (0,5 l PET) or approx. 560 cans
Electrical connection values:	220 – 230 V / 50/60 Hz /mind. 10 A

*Design VA with package B is 1,844 mm

**Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

Cabinet colours

- Jet black (RAL 9005)

Optional:

The standard design VA can be added with the design package A or B.
Design RA can be complemented with Design package A.

Design package A includes:

- LED decoration panel

Design package B includes:

- LED-Decoration strips above and below the glass panel
- Upper door decoration panel in stainless steel
- Kickplate in stainless steel

All design variants can be found in the brochure.

Options and accessories

- Up to 2 coin hoppers possible
- Sorting into two Sections
- Roller container
- Receipt printer
- Ingress protection, Thread catcher
- Product recognition (cup acceptance is possible either with or without barcodes)



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY