

Technical documentation

Pursuant to the COMMISSION DELEGATED REGULATION (EU) 2019/2018 with regard to energy labelling of refrigerating appliances with direct sales function, ANNEX VI.

The technical documentation referred to in point 1(d) of Article 3 shall include the information as set out in Annex V and the information as set out in Table 11.

Supplier's name or trademark:	Sielaff GmbH & Co. KG Automatenbau Herrieden
Supplier's address:	Münchener Straße 20 91567 Herrieden
Model identifier:	GF Robimat XL / SKA 773 E+H
Use:	Display and sale

Type of refrigerating appliance with a direct sales function:

Refrigerated glass fronted can and bottle, confectionery & snack machine	Category 2
--	------------

Product specific parameters

(If the refrigerating appliance with a direct sales function contains compartments working at different temperatures, or a compartment that can be set to different temperatures, the lines shall be repeated for each compartment or temperature setting.)

Volume (dm ³ or L)	Temperature class
826	Category 2

General product parameters:

Parameter	Value	Parameter	Value
Annual energy consumption (kWh/a)	1807,20	Recommended temperature(s) for optimised food storage (°C) (These settings shall not contradict the temperature conditions set out in Annex IV, Table 4, 5 or 6, as applicable)	12
EEL	66,9	Energy efficiency class	F

Light source parameters:

Type of light source	LED DLS
Energy efficiency class	D

Minimum duration of the guarantee offered by the supplier: 1 year parts only warranty.

Additional information:

The weblink to the supplier's website, where the information in point 3 of Annex II of Commission Regulation (EU) 2019/2024 is found:

<https://www.sielaff.de/kunden-login/>

A general description of the refrigerating appliance with direct sales function model, sufficient for it to be unequivocally and easily identified:

Refrigerated glass fronted vending machine of the model GF Robimat XL with cooling unit SKA 773 E+H of the company Sielaff GmbH & Co. KG Automatenbau Herrieden for can and bottle, confectionery & snacks held in trays.

General product specifications:

Parameter	Value	Parameter	Value
Annual energy consumption (kWh/a)	1807,20	Standard annual energy consumption (kWh/a)	2702,46
Daily energy consumption (kWh/24 h)	4,951	Ambient conditions	Set 1
M	4,1	N	0,004
Temperature coefficient (C)	1,00	Y	826
P	1,00		

Additional information:

The references of the harmonised standard: DIN EN 50597:2018

Identification of the person empowered to bind the supplier:

Mr. Dipl.-Ing. Manfred Murr, Head of Development, Sielaff GmbH & Co. KG Automatenbau Herrieden, Münchener Str. 20, D-91567 Herrieden.

A list of equivalent models, including model identifiers:

GF Robimat XL (7040000000) / SKA 773 E+H
 GF Robimat XL EC (7040000010) / SKA 773 E+H
 GF Robimat XL EW (7040000020) / SKA 773 E+H
 GF Robimat XL RB (7040000030) / SKA 773 E+H
 GF Robimat XL RO (7040000040) / SKA 773 E+H
 GF Robimat XL 03 (7040000003) / SKA 773 E+H
 GF Robimat XL EB03 (7040000013) / SKA 773 E+H
 GF Robimat XL EW03 (7040000023) / SKA 773 E+H
 GF Robimat XL RB03 (7040000033) / SKA 773 E+H



GF Robimat XL EB04 (7040000014) / SKA 773 E+H

GF Robimat XL EW04 (7040000024) / SKA 773 E+H

GF Robimat XL RB04 (7040000034) / SKA 773 E+H