



## **Freshness – Proximity – Diversity**

with our Vending machines for  
direct retailers



# Your products available 24/7 –

## At your service – always.

On duty around the clock, for you and for your customers alike: Tirelessly, without detours or intermediaries.

## Sustainable by nature.

Your concept is fundamentally environmentally friendly with short distances from the producer to the consumer. We support this with our vending machines made from up to 100% recyclable materials, produced in a resource-saving manner, and long-lasting and economical to run.

## Highly reliable.

All Sielaff machines are renowned for their functionality and longevity. We achieve this level of excellence by selecting high-quality materials and components, through the expertise of our own R&D department for hardware and software and state-of-the-art factory situated in Germany. Made by Sielaff is Made in Germany.

## Perfect layouts – always.

Only the packaging size counts, the contents are always in good hands: Whether jars, cans, bottles or bowls varying in size, there is the right setting for each one in your SiLine® vending machine to ensure safe delivery.

## Extremely versatile.

New products often imply new settings, this is part of everyday life in Vending. We know that and it is why your machine has been designed for quick and easy configuration adaptations, without the intervention of a technician.

## A good looking show case.

Your products are promoted best behind energy-efficient LED lighting. The large glass front provides customers with a full overview of the product range.

## The right cooling for all product types.

Fruits, vegetables, meat or sausages, dairy products or pastries? Your Sielaff SiLine® machine is configured at the factory with one or two temperature zones for storing products by category between +2 °C and +18 °C. For maximum food safety a software monitors the temperature in the fresh food area and automatically prevents products from being dispensed, should the temperature increase. Our cooling units use the R-290 refrigerant with a GWP of 3. They are available with 400 W or 850 W.

## Simple as a smart phone.

The 7"-Touch display with stunningly brilliant, wide angle picture quality and 800 x 480 pixel LED-backlighting is an ideal communication platform with customers, showing product pictures and providing information i.e. ingredients, allergens and much more. You can program up to ten product pairs for a combined offer with its own price more commonly known as a

deal. With the shopping cart function your customers can buy up to 5 products and pay for them together in one transaction. The products will then be delivered one by one or up to five at once depending on the nature of the packaging: fragile, heavy, small or large for example.

## Gentle product handling.

Whether fullspiral layouts or combi-layouts – The SiLine® lift system, which collects items at shelf level, always ensures that valuable and fragile products are quickly and safely transported and transferred to the motorized delivery pocket. Upon opening products are accessible to the customer, but the unit automatically locks to prevent access to the inside of the machine. The lift always provides a reliable shopping experience at a SiLine® Vending machine.

## Strong & safe.

Vandalism safety is not an option at Sielaff but part of the machine design. Discreet yet effective, wherever the location.

## Whatever the weather – SiLine® outdoor machines are best suited to combat it.

The roof and rear wall protect the machine against rain and snow. The cooling unit comes with a heating device with a "Frost monitoring function" which keeps the internal temperature above 0 °C even when the outside temperature is down to -20 °C. The laminated safety door glass is fitted with a UV-filter, which whilst protecting the products from the sun's rays, does not affect their visibility.



See our vending machine information video here



Convenient, versatile and always fresh –  
this is direct retail with Sielaff vending machines

# always fresh and nicely presented

## Dimensions:

height x width x depth\*  
SiLine® Spiral/Combi M RP  
1830 x 990 x 895 mm

## Optional:

### High security frame with side lock

SiLine® Spiral/Combi M RP  
1850 x 1053 x 907 mm  
available for the door designs RA and VA  
with and without design package A

## Energy consumption labelling

in accordance with regulation (EU) 2019/2018,  
DIN EN 50597:2018  
HC refrigerant R290, GWP 3  
Energy efficiency category D




## In the Out-door variant:

SiLine® Spiral/Combi M RO RA  
1866 x 1056 x 1000 mm  
as a standard with design package A,  
high security frame and side lock

## Energy consumption labelling

in accordance with regulation (EU) 2019/2018,  
DIN EN 50597:2018  
HC refrigerant R290, GWP 3  
Energy efficiency category E



SiLine Combi M RP RA  
with Design package A

















SiLine Combi M RO

\*Machine dimensions may vary due to add-on parts and accessories.

Energy efficiency for all machine types can be found under [www.sielaff.de/en/products/vending-machines/energy-consumption-labelling](http://www.sielaff.de/en/products/vending-machines/energy-consumption-labelling)

## Product settings examples

														
	bag	sandwich roll	round box	square box flat	square box deep	can high standing	can high lying	can medium size	can flat size	jar small	jar high	jar large	bottle	bottle large
width(*) mm	145	90	200	210	210	-	115	85	85	105	-	-	-	-
depth(*) mm	70	45	200	180	180	-	75	85	85	105	-	-	-	-
Ø(*) mm	-	-	-	-	-	75	-	-	-	-	75	104	78	104
height(*) mm	180	90	80	55	80	115	-	85	45	130	180	330	max. 265	max. 330
spiral / pusher	spiral	spiral	spiral	spiral	spiral	pusher	spiral	spiral	spiral	spiral	pusher	pusher	pusher	pusher
selection width	2	2	3	3	3	-	2	1,5	1,5	1,5	-	-	-	-
capacity per selection	7	9	6	8	6	7	7	4	9	4	7	5	6	5

(\*) measured in vending position

# Sielaff – is synonymous with “Made in Germany“

Supply management has a long tradition at Sielaff – since 1886. Sielaff GmbH & Co. KG Automatenbau Herrieden has its headquarters in the Nuremberg metropolitan region. Here we plan, develop and produce sustainably durable and low-maintenance premium machines for the national and international market. Get to know us, just scan the QR code below.

The vending machines of the SiLine® series are the professional solution for the direct retailers of food and non-food products in indoor and outdoor areas. See for yourself!

## SIELAFF – engineering innovation for you



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Telephone: +49 9825 18-0  
export@sielaff.de  
www.sielaff.com

**See here for our  
company profile video**

