



Sheer Indulgence

SiLine® HG TS7



Benefit from our strengths

The SiLine® HG TS7– aesthetically pleasing.

With its easy handling and operation, the SiLine® HG TS7 appeals to all of the senses. Hygiene always comes first with its glass front and capacitive buttons.

The modern, appealing SiLine®-design enables the SiLine® HG TS series to integrate seamlessly into the SiLine® line of machines. There are various designs to choose from:

- **SiLine® HG TS7 RA**
+ design package A (optional)
- **SiLine® HG TS7 VA**
+ design package A (optional)
- **SiLine® HG TS7 Trend**

The standard VA Design comprises matt painted steel with decorative panel made from polished stainless steel on the lower door. The RA Design is showcased by its full matt powder-coated steel finish. A real eye-catcher is the LED-strip lighting which comes with Design package A.

The Trend variant comes with a lower advertising panel which can be illuminated if required.

Intuitive with capacitive buttons, a definite Plus.

The large, upper advertising panel and 20 capacitive product decals on the SiLine® HG TS7 cannot fail to attract attention. The advertising panel and product decals are quick and easy to change. Important consumer information such as ingredients, allergens or additional recipe information can be displayed on the 7"-touch display with its exceptional, wide-angle picture quality. The beverage selected is depicted on the touch display. Add-on selections such as sugar or coffee strength are easily entered using the capacitive selection buttons and are also shown on the touch display.

Slideshow, Videos & Co. – Easy to operate

Pictures and data stored on a USB-stick can be loaded directly onto the machine using drag and drop. High storage capacity enables videos and much more to be saved. Show your products at their best in a slideshow or up-to-date video clip.



A quality coffee freshly prepared by the SiLine® HG TS7.



In every model the SiLine® HG TS7 boasts a hygienic glass front and large delivery unit.



The "Trend" model is fitted with a lower advertising panel.

**Technical features boasting
Premium quality: The water system**

The extensive variety of products has something for everyone. Not only coffee and coffee variations but also other kinds of hot beverages are served at the perfect temperature. The water system enables the temperature to be individually programmed for every product and ingredient.

Example: Cappuccino

The perfect brewing-temperature for espresso is 92°C, the whitener is best prepared at 85°C.

**Ease of filling the instant
product containers**

Thanks to the forward tilting containers ingredients can be easily refilled inside the machines.

**International palates are also
catered for**

A dry sugar dispenser and a stirrer dispenser are available as options – no instant product container capacity is lost.



Talent and technology

SiLine® HG TS7 – Technical features

Grinder

- High performance 65 mm diameter grinding discs made from tempered steel
- Easily adjustable grind from espresso to French Press
- Thermal monitoring of damage caused by foreign particles
- Transfer of ground beans via a funnel straight from the grinder into the brewer

Mono variant

- Single grinder
- Bean container capacity up to 5 kg

Duo variant

- Two grinders
- Two bean containers each with a capacity of up to 2.2 kg

Instant product container

- Instant product containers are a uniform size: 5 litres
- Ingenious twist cap SiTwist'n Lock with coloured marking to indicate the individual positions: open / closed
- Containers are filled in the machine, no need to remove
- Ergonomic filling process, simply tilt the individual instant product container forwards

Espresso-Brewer

- High-Tech-Peek brewer
- Coffee portions from 6-14 g
- Insulated stainless steel brewing chamber
- Durable, hydraulically inflated brewer seals
- Double press
- Microfilter – crema filter
- Freely adjustable contact pressure and squeeze pressure
- Sialaff's pre-infusion technology – adjustable to suit every drink
- Software monitored

Hot water system

- Innovative water system. The temperature can be adjusted for each product and component product
- 2.0 kW boiler, plus additional heating depending on the flow rate
- 230 V vane pump
- Output 100l/hr
- Electronically monitored water quantity dispense
- All water carrying components are insulated against heat loss

Dispense outlet

- Large, open dispense outlet with light barrier and optional RGB-user prompting
- Foldable cup table
- Suitable for individual cup or coffee pot up to a height of:
 - Max. 110 mm using the cup table
 - Max. 170 mm with the cup table folded up
- Adjustable cup catchers with two different cup mechanisms retain the cups securely in the removal position

Familiar BAM cup dispenser mechanism

- The number of cup dispenser mechanisms is freely configurable
- No cup dispenser mechanism (default), when own cup is used
- Optional:
 - One cup dispenser mechanism for 70 mm or 80 mm
 - Two identical cup dispenser mechanisms
 - Or two cup dispenser mechanisms in different sizes (70 mm and 80 mm)
- Up to 1,200 cup capacity
- Selection-based programming of the respective cup dispenser mechanism
- Different cup prices can be programmed
- Different cup types (plastic, paper, reusable)



Duo variant with two grinders



Direct transfer of fresh ground product from the grinder into the brewer via a funnel.



„SiTwist'n Lock“: Instant product container lock with a visual indicator for open (green) and closed (red)

**View our SiLine®
product film here**



SiLine® HG TS7 Touch-Displays

SiLine HG TS7

- 7"-touch display - ideal communication platform for customers, fillers and technicians
- Bright, wide-angled presentation
- Presentation of consumer information such as ingredients, allergens or additional information
- Visual presentation of selections and additional extras
- Pictures and data can be transferred directly from the USB-stick to the machine using Drag-and-Drop

Innovation sets standards – water system, twist lock, containers

Water system

Sielaff's new water system guarantees that hot drinks are served at the perfect temperature. The temperature of every product and component product can be programmed individually. Cappuccino with whitener served to the same standard as one from your favourite cafe. To prevent heat loss all water-carrying components are insulated – when it comes to taste the sky's the limit.


SiTwist'n Lock

Working on the vending machine is facilitated by Sielaff's new twist lock on the instant product containers. The red and green colours show at a glance if the container is open or closed.

Containers

The containers can be directly filled in the SiLine® HG TS7. The ergonomic forward-tilting motion facilitates the filling process. The containers can be removed from the vending machine for filling or cleaning.

Design VA*



Design VA

Convincing variety: exquisite design VA

Design package A can be selected,
to suit requirements



Design package A

Design package A


- includes:
- 2 LED decorative strips
 - RGB colour(s) freely-programmable

Details of the Design VA

SiLine® HG TS7	Lower decorative door panel	Upper decorative door panel	LED-decorative strips	Front foot plate
Design VA	VA	RA	NO	RA
Design VA + Design package A	VA	RA	YES	RA

*VA = brushed stainless steel, RA = RAL painted


Design RA*



Design RA

Modular design – individually configured
The design RA with RAL-painted surfaces can be enhanced with design package A.

Design package A
includes:
– 2 LED decorative strips
– RGB colour(s) freely-programmable



Design package A

Design "Trend"

Perfect also for a SiVend-line
The Trend model is fitted with a lower advertising panel which can be illuminated as an option. This design slots perfectly into a SiVend line.



Trend

The Trend variant
includes:
– Vertical operating panel to the floor
– Lower advertising panel

Details of the Design RA

SiLine® HG TS7	Lower decorative door panel	Upper decorative door panel	LED-decorative	Front foot plate
Design RA	RA	RA	NO	RA
Design RA + Design package A	RA	RA	YES	RA


Details of the Design Trend

SiLine® HG TS7	Additional lower advertising panel	LED-decorative strips	Front foot plate
Trend	YES	NO	RA


*RA = lower design panel RAL-painted, crossways

Product variants


SiLine® HG TS7 – Mono variant




SiLine® HG TS7 – Duo variant



SiLine® HG TS7 – Mono variant



SiLine® HG TS7 – Duo variant



Cup dispenser mechanism capacity

Cup volume in the cup stackers	70 mm / 180 ml 6	80 mm / 300 ml 5
Capacity Total	600 cups	325 cups
Capacity Single stacker	100 cups	65 cups


Fill quantities instant product container

Container width (approx.)	80 mm
Container height (approx.)	410 mm
Container volume	5.0 litres
Instant coffee	1,200 g
Sugar	4,500 g
Whitener	3,000 g
Tea	5,000 g
Soup	4,000 g
Chocolate	3,500 g
Cappuccino	3,000 g

Fill quantities bean container

Container volume	Mono 15.0 litres	Duo 6.7 litres
Beans	5,000 g	2,200 g

SiLine® HG TS7 – Instant variant



Instant product container

- Ergonomic filling in the machine
- Tilttable instant product container
- Instant product container can be removed
- Hinged lid on instant product container
- SiTwist'n Lock:
Lock with optical and tactile confirmation
of status i.e. whether open or closed
- Product slide made from anti-static
material

SiTwist'n-Lock



Experience the perfect
coffee break





Door available in
jet black (RAL 9005),
white aluminium (RAL 9006)
and pure white (RAL 9010)

* Machine dimensions may
vary due to add-on parts
and accessories



SiLine® HG TS7 Dimensions

- 1,830 x 700 x 755 mm
(Height x Width x Depth)*

Weight

- 210 kg

Cup capacity

- Up to 180 cups per hour (depending
on product and settings)

Electrical data

- 220-230 V/50/60 Hz/10 A

Power

- 2.3 kW

Water connection

- John Guest

Selection type

- 20 capacitive buttons and
7-inch Touchscreen

Container volumes: Bean containers

- Mono approx. 5.0 kg 15.0 litres
- Duo approx. 2 x 2.2 kg 6.7 litres

Instant product container

- 80 mm 5.0 litres

Grout containers

- Approx. 550 coffee cakes

Cup dispense mechanism

- Without cup mechanism as standard,
optionally one or two cup mechanisms
(up to 1,200 cups for two
cup mechanisms)

To-Go cups, cups and pots

- Mugs and cups up to a maximum height of
110 mm standing on the cup table
- Coffee pots up to a height of 170 mm
(cup table folded up)



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Deutschland

Telephone: +49 9825 18-0
info@sielaff.de
www.sielaff.de

See here for our
company profile video



Technical data are subject to change without notice. Errors excepted.
All images shown are examples and may include optional extras.