

TECHNICAL INFORMATION

09. May 2019

TI1519

Machine type/s:

SN 48

New model SN 48-01

Due to increased demand for fresh food products in spiral machines we have re-designed the SN 48 machine.

Optimised insulation in the new SN 48-01 makes it possible to have fresh food and 2-T configurations. These additional options enhance the machine's range of applications making more sites accessible.

Launch date

The existing SN 48 is being replaced by the SN 48-01.

The new SN 48-01 can be ordered from: The EuVend (WK 19)

The current SN 48 can be ordered until: 30.06.2019.

Variants

The following variants are available:

SN 48-01 RB (RAL-painted operator panel)



SN 48-01 EB (stainless steel operator panel)



...we met
at the vending
station!

Münchener Str. 20
D - 91567 Herrieden

Telephone: +49 9825 18-0
Fax: +49 9825 18-31 11 55

www.sielaff.com
export@sielaff.de

TECHNICAL INFORMATION

Operator controls

Two selection keypads are available for both variants:

Standard
(as seen on the SN48 and GF-X ranges)



Metal
(as seen on the FS/SÜ ranges)



Features of the new SN 48-01

An overview of the significant changes:

- On account of the improved insulation the housing is 30 mm deeper. 840 mm as opposed to 810 mm.
- Less hand grips enable the machine door and insulation frame to be dismantled so that the machine fits through an 80 cm door.
- The mechanical refund button has been replaced by a motorised return.
- New, improved LED-illumination.
- Same spiral adjustment as on the SiLine → Common parts for the future.
- Plastic dividing wall same as used on the SiLine → Weight reduction and common parts with the SiLine.



TECHNICAL INFORMATION

Advantages

An overview of the benefits:

- Energy efficiency increased by around 30% due to optimised insulation (using the old EVA –EMP data from B to A+).
- LM or 2T-versions available as an option.
- Less hand grips enable the door and insulation frame to be dismantled so that the machine fits through an 80 cm door → a varied product range can be offered even on sites with narrow accessibility.
- Metal keypad is available as an option on both variants of the operating panel.
- The sectioned operating panel facilitates the fitting of different payment systems (similar to the segmented panel on the FS / SÜ ranges).
- Coin insert slide and coin return drum are available as an option on both variants of the operating panel.
- In addition there is the option to have simple, reinforced locking lever protection.
- Improved illumination even on the lower product shelves due to sideways-fitted LED-strips.
- New spiral adjustment (same as SiLine) → Fine adjustment made easy.
- Triple spiral setting possible using a triple-motor
- Increased capacity per shelf thanks to 1.5 wide spiral settings (as on the SiLine)

Sielaff GmbH & Co. KG