



TECHNICAL INFORMATION

Date: 17.09.2024
TI: 2124
Vending machine type(s): SÜ SiLine; GF SiLine; Robimat X-Serie;

Outdoor improvements

We have introduced a variety of improvements to the outdoor and public vending machines. Here are just a few of the latest highlights.

Seals on the sliding door unit/trims

Applies to (fields marked in green):

SÜ SiLine M Public	SÜ SiLine M Outdoor	SÜ SiLine S Public
GF SiLine L Public	GF SiLine L Outdoor	GF SiLine M Public
Robimat XL Outdoor	Robimat XM High Security	Robimat XL High Security

We have modified and, in places, rounded the control panel trims at the top in the touch and EVA cutout. This ensures the drainage of water during heavy rain, preventing it from gathering in the trims or at the touch.

Introduction from week 12/2024

Laminated safety glass panel and impact protection panel


Applies to (fields marked in green):

SÜ SiLine M Public (option)	SÜ SiLine M Outdoor	SÜ SiLine S Public (option)
GF SiLine L Public (option)	GF SiLine L Outdoor	GF SiLine M Public (option)
Robimat XL Outdoor	Robimat XM High Security	Robimat XL High Security

In future, the two panels will be separated from the insulating glass panel on the main door by a circumferential seal. This will improve protection from certain types of weather.

Introduction from week 31/2024

The width of the impact protection frame was adjusted to fit. Refer to the drawing for the new dimensions.
Introduction from week 24/2024



e.g. SÜ SiLine S Public:

Sielaff GmbH & Co. KG Automatenbau Herrieden · Münchener Str. 20 · 91567 Herrieden · Telefon: +49 9825 18-0 · Telefax: +49 9825 18-311155 · info@sielaff.de · www.sielaff.de



Seal between the door and housing

Applies to (fields marked in green):

SÜ SiLine M Public	SÜ SiLine M Outdoor	SÜ SiLine S Public
GF SiLine L Public	GF SiLine L Outdoor	GF SiLine M Public
Robimat XL Outdoor	Robimat XM High Security	Robimat XL High Security

An additional seal has been fitted between the roof and door to improve protection from the rain.

Side lock

Applies to:

SÜ SiLine M Public	SÜ SiLine M Outdoor	SÜ SiLine S Public
GF SiLine L Public	GF SiLine L Outdoor	GF SiLine M Public
Robimat XL Outdoor	Robimat XM High Security	Robimat XL High Security

The side lock material was changed to stainless steel. This improves resistance to damage caused by external influences. It also has advantages in regard to service life.

The design of the side lock has also been changed marginally to ensure an attractive look.

The side lock is now easier to replace as well, as it is now bolted in and not welded. This speeds up the process of exchanging the lock in the event of damage or vandalism.

Standardising the side lock has another advantage. The same spare part will be used for all of the various outdoor types. This will ensure compatibility with the other vending machines.

Introduction from week 30/2024

Sielaff GmbH & Co. KG Automatenbau Herrieden