



TECHNICAL INFORMATION

4th February 2019.

TI0919

Machine type/s:

SiLine GF / SiLine SÜ

New SiLine Software

The new SiLine software offers new functions and improvements. Alongside general enhancements we would like to make you aware of several highlights.

The functions listed below apply to all SiLine-machines:

Lighting

- New: When the door is open, the brightness of the product illumination can now be freely configured.
- Setting the design illumination colour values (RGB LED strips) has been upgraded. The colour values can now be entered numerically. This makes it easier for company colours for example to be displayed on the machine.
- Setting the display illumination has been optimised.

Product selection

- A deal is now displayed with a selection number and free text name.
- A product can be selected alpha-numerically using the selection keypad or via illustrated direct selection (up to 9 product selection keys).

Time profile

- All time profiles such as happy hour, free vend, chiller and lighting have been increased to 5 possible profiles.
- Visual representation of the time profiles has been optimised.

Operating and advertising

- The multi-media menu is now easier to use.
- Scroll, drag & drop, delete etc. has been improved. In addition pictures for the slideshow can be imported from a USB-stick all at once.
- Enhanced help texts for problems with climatic conditions inside the machine.



TECHNICAL INFORMATION

Statistics and accounting

- The machine now supports the simple calculation of various VAT-groups.
- Fill levels on alternate motors can now be adjusted.
- Updating the coin levels in the coin mechanism has been accelerated. Values are accepted faster.
- Full statistics have been revised.
- The journal is now displayed in colour. Errors and warnings are marked accordingly.
- The machine type is displayed with its plain text name instead of with a numerical code.

Menu language (localisation)

- Italian has been added.
- The following languages have been optimised: French, Dutch, Norwegian, Swedish.
- In addition the service menu language can now be set independently from the operator menu language.
- There is also a distinction between the product illumination (LED strips inside the machine) and the display illumination (RGB LED strips outside the machine) .

EVA-DTS

- Connecting a telemetry device to the machine has been enhanced (MDB CG1 / CG2).
- Calibration values are now saved in EVA-DTS. This enables a "Cloning" of machine settings for every machine of the same type.
- EVA SA1 fields are now accurately imported.

Avoiding Errors and Diagnosis

- Should a machine failure occur the error message will show the customer's credit. This amount can be requested via the "Refund" button. Money is no longer refunded automatically to the customer.
- Defective motors can now be recognised independently by the machine.
- VMI update process has been improved.

Product basket

The product basket operation has been enhanced.

Age verification

Age verification on the machine has been improved.

TECHNICAL INFORMATION

SiLine GF (Robimat) Special functions

- The "Promotional run" feature is new. The lift travels to a selection at a set interval to attract attention.
- The lift system has now been optimised with better travel to the delivery position.
- The connected motors are now easier to find.

Special Functions SiLine SÜ (Spiral vending machine)

- The shelf configuration has been revised, so the system recognises if a twin motor is in a certain position (mechanically coupled double spiral) thereby preventing any further coupling.
- When activating the "food safety" function (LM) the chiller reference temperature automatically adjusts accordingly. The LM-menu has also been optimised.
- Empty-recognition has been improved.
- From now on if a spiral is empty the same product will be dispensed from another spiral without the customer having to make an alternative selection.
- Machine without lift. Shelf-lookup has been improved.
- Machine with lift. The Selection Offset function has been optimised. The height of the lift can be set specifically for every product.

The new software has already been installed on the following machines before they left the factory.

Machine	Software	Ex works from serial number
SiLine GF	0.11.0	3440051700
SiLine SÜ	0.11.0	3440051700

The latest corresponding software can be found on our Homepage in the Download-Center (<http://www.sielaff.de/download-center/>).

Sielaff GmbH & Co. KG