

## Technical documentation

Pursuant to the COMMISSION DELEGATED REGULATION (EU) 2019/2018 with regard to energy labelling of refrigerating appliances with direct sales function, ANNEX VI.

The technical documentation referred to in point 1(d) of Article 3 shall include the information as set out in Annex V and the information as set out in Table 11.

<b>Supplier's name or trademark:</b>	Sielaff GmbH & Co. KG Automatenbau Herrieden
<b>Supplier's address:</b>	Münchener Straße 20 91567 Herrieden
<b>Model identifier:</b>	GF Robimat XM / SKA 425 E
<b>Use:</b>	Display and sale

### Type of refrigerating appliance with a direct sales function:

Refrigerated glass fronted can and bottle, confectionery & snack machine	Category 2
--	------------

### Product specific parameters

(If the refrigerating appliance with a direct sales function contains compartments working at different temperatures, or a compartment that can be set to different temperatures, the lines shall be repeated for each compartment or temperature setting.)

Volume (dm <sup>3</sup> or L)	Temperature class
661	Category 2

### General product parameters:

Parameter	Value	Parameter	Value
Annual energy consumption (kWh/a)	1071,71	Recommended temperature(s) for optimised food storage (°C) (These settings shall not contradict the temperature conditions set out in Annex IV, Table 4, 5 or 6, as applicable)	12
EEI	43,5	Energy efficiency class	D

### Light source parameters:

Type of light source	LED DLS
Energy efficiency class	D

**Minimum duration of the guarantee offered by the supplier:** 1 year parts only warranty.

**Additional information:**

The weblink to the supplier's website, where the information in point 3 of Annex II of Commission Regulation (EU) 2019/2024 is found:

<https://www.sielaff.de/kunden-login/>

**A general description of the refrigerating appliance with direct sales function model, sufficient for it to be unequivocally and easily identified:**

Refrigerated glass fronted vending machine of the model GF Robimat XM with cooling unit SKA 425 E of the company Sielaff GmbH & Co. KG Automatenbau Herrieden for can and bottle, confectionery & snacks held in trays.

**General product specifications:**

Parameter	Value	Parameter	Value
Annual energy consumption (kWh/a)	1071,71	Standard annual energy consumption (kWh/a)	2461,56
Daily energy consumption (kWh/24 h)	2,936	Ambient conditions	Set 1
M	4,1	N	0,004
Temperature coefficient (C)	1,00	Y	661
P	1,00		

**Additional information:**

The references of the harmonised standard: DIN EN 50597:2018

Identification of the person empowered to bind the supplier:

Mr. Dipl.-Ing. Manfred Murr, Head of Development, Sielaff GmbH & Co. KG Automatenbau Herrieden, Münchener Str. 20, D-91567 Herrieden.

A list of equivalent models, including model identifiers:

GF Robimat XM (7060000000) / SKA 425 E

GF Robimat XM EC (7060000010) / SKA 425 E

GF Robimat XM EW (7060000020) / SKA 425 E

GF Robimat XM RB (7060000030) / SKA 425 E

GF Robimat XM 03 (7060000003) / SKA 425 E

GF Robimat XM EB03 (7060000013) / SKA 425 E

GF Robimat XM EW03 (7060000023) / SKA 425 E

GF Robimat XM RB03 (7060000033) / SKA 425 E



GF Robimat XM EB04 (7060000014) / SKA 425 E

GF Robimat XM EW04 (7060000024) / SKA 425 E

GF Robimat XM RB04 (7060000034) / SKA 425 E